


PROJECT: _____ TYPE: _____ QUANTITY: _____ CATALOG/ PART NUMBER: _____



DYNAMIC WHITE

CCT	18K, 22K, 27K, 3K, 35K, 4K, 5K, 65K, CUSTOM
DMX	RGBDMX, RGBW, RGBA, WW + CUSTOM, DYNAMIC WHITE
Static	RED, GREEN, BLUE, AMBER, CUSTOM
CRI	>80, >90
Control	ELV, 0-10V, DMX, DALI, DIM TO WARM
Optics	9°, 15°, 25°, 60°, 10 x 30°, 10 x 60°, 15 x 30°, 30 x 60°
Operating	-30°C ~ 50°C (-22°F ~ 122°F)
Power Factor	≥ 0.9
SDCM	3 STEP MACADAM ELLIPSE
Dimensions	L: 1ft (305mm), 4ft (1220mm) W: 1 19/20" (49.6mm) H: 2 1/8" (54.5mm)
Applications	WALL GRAZER, WALL WASHER
Voltage	100-277V AC 50Hz/60Hz
Waterproof Rate	Wet Location, IP66


FIXTURE RUN LENGTHS

Max Run Length	120V AC	240V AC	277V AC
SO	100ft	190ft	230ft
HO	80ft	150ft	180ft
	Lumens		Efficacy (lm/W)
1ft	1000 - 1200 lm		80 - 85
4ft	4000 - 4800 lm		80 - 100


WHITE LIGHT



DIM TO WARM + DMX, DYNAMIC WHITE



RGB DMX



STANDARDS & CERTIFICATIONS



PROJECT: _____ TYPE: _____ QUANTITY: _____ CATALOG/ PART NUMBER: _____

ACCESSORIES 3PIN, ELV

3PIN, ELV

Leader Cable 3 Pin 10ft (3m)	Power to first fixture of run
Leader Cable 3 Pin 30ft (9m)	Power to first fixture of run
Leader Cable 3 Pin 50ft (15m)	Power to first fixture of run
Jumper Cable 3 Pin 1ft (0.3m)	Connection between fixtures
Jumper Cable 3 Pin 5ft (1.5m)	Connection between fixtures
Jumper Cable 3 Pin 10ft (3m)	Connection between fixtures
Jumper Cable 3 Pin 30ft (9m)	Connection between fixtures

5PIN, 0-10v, DMX, DALI

Leader Cable 5 Pin 10ft (3m)	Power to first fixture of run
Leader Cable 5 Pin 30ft (9m)	Power to first fixture of run
Leader Cable 5 Pin 50ft (15m)	Power to first fixture of run
Jumper Cable 5 Pin 1ft (0.3m)	Connection between fixtures
Jumper Cable 5 Pin 5ft (1.5m)	Connection between fixtures
Jumper Cable 5 Pin 10ft (3m)	Connection between fixtures
Jumper Cable 5 Pin 30ft (9m)	Connection between fixtures

LOUVER

Symmetric	Symmetric Louver, ABS, Gray, RAL7005
Asymmetric	Asymmetric Louver, ABS, Gray, RAL7005
Honeycomb	Honeycomb Louver, ABS, Gray, RAL7005

TERMINATOR

Terminator Male	Must be fixed to last fixture for safety
-----------------	--

MOUNTING

Wall Mount	Custom
Landscape stake	Custom
Mounting Track	Custom



PROJECT: _____ TYPE: _____ QUANTITY: _____ CATALOG/ PART NUMBER: _____

ORDER CODE

MODEL	WATTAGE		FUNCTION	CONTROL		OPTICS	LENGTH	FINISH					
PG													
PRO GRAZE	PG	SO	SO	1800K	18	ELV	ELV	9°	9	1FT	1	SILVER	S
		HO	HO	2200K	22	0-10V	010V	15°	15	4FT	4	BLACK	B
				2700K	27	DMX	DMX	25°	25			CUSTOM	C
				3000K	3			60°	60				
				3500K	35			10°x30°	1030				
				4000K	4			10°x60°	1060				
				5000K	5			15°x30°	1530				
				6500K	65			30°x60°	3060				
				RED	R								
				GREEN	G								
				BLUE	B								
				CUSTOM	C								
				AMBER	A								
				RGB	RGB								
				RGB AMBER	RGBA								
				RGB 2700K	RGB27								
				RGB 3000K	RGB3								
				RGB 4000K	RGB4								
				DYNAMIC WHITE									
				+ DIM TO WARM									
				+ 2200K-6500K	DYWDWM2265								
				DYNAMIC WHITE									
				+ DIM TO WARM									
				+ 1800K-3000K	DYWDWM1865								

ACCESSORIES

MOUNTING		LOUVER		LEADER CABLES		JUMPER CABLES		TERMINATOR	
WALL MOUNT	WM	SYMMETRIC	SYM	Leader Cable 3 Pin 10ft (3m)	LC3P10	Jumper Cable 3 Pin 1ft (0.3m)	JC3P1	TERMINATOR 3PIN	T3P
MOUNTING TRACK	MT	ASYMMETRIC	ASY	Leader Cable 3 Pin 30ft (9m)	LC3P30	Jumper Cable 3 Pin 5ft (1.5m)	JC3P5	TERMINATOR 5PIN	T5P
LANDSCAPE STAKE	LS	HONEYCOMB	HON	Leader Cable 3 Pin 50ft (15m)	LC3P50	Jumper Cable 3 Pin 10ft (3m)	JC3P10		
				Leader Cable 5 Pin 10ft (3m)	LC5P10	Jumper Cable 3 Pin 30ft (9m)	JC3P30		
				Leader Cable 5 Pin 30ft (9m)	LC5P30	Jumper Cable 5 Pin 1ft (0.3m)	JC5P1		
				Leader Cable 5 Pin 50ft (15m)	LC5P50	Jumper Cable 5 Pin 5ft (1.5m)	JC5P5		
						Jumper Cable 5 Pin 10ft (3m)	JC5P10		
						Jumper Cable 5 Pin 30ft (9m)	JC5P30		

